

# INDEX MAPS.

**T.15N R.1W 2<sup>nd</sup> Mer.**

	6	6	5	5	5	5						
8	6	29	5	25	4	21	3	17	2	12	1	4
	31	29		25		21		17		12		
8	7	29	8	25	9	21	10	16	11	12	12	4
	31	28		24		21		16		11		
8	18	28	17	24	16	19	15	15	14	10	13	4
	30	28		24		19		15		10		
7	19	27	20	23	21	19	22	14	23	10	24	3
	30	27		23		19		14		10		
7	30	26	29	22	28	18	27	14	26	9	25	3
	30	26		22		18		13		9		
6	31	26	32	22	33	17	34	13	35	9	36	3
	2		2		2		1		1		1	

**T.16N R.1W 2<sup>nd</sup> Mer.**

	41	40	40	40	40	40	39					
39	6	62	5	57	4	53	3	49	2	45	1	36
	64	61		57		53		49		45		
38	7	61	8	57	9	52	10	48	11	44	12	36
	63	60		56		52		48		44		
38	18	60	17	56	16	52	15	48	14	43	13	36
	63	60		55		51		48		43		
38	19	59	20	55	21	51	22	47	23	43	24	35
	62	59		55		50		46		42		
37	30	59	29	54	28	50	27	46	26	42	25	35
	62	58		54		50		46		42		
37	31	58	32	54	33	49	34	45	35	41	36	35
	34		34		34		33		33		33	

The figures on the lines refer to the page.

1

T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17. 2<sup>nd</sup> Mer. (Ind. a.)

Ch. lbr.

107

South Boundary. Var. 5.50

West On the South Boundary of sec 36 T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17  
 38.50 To a post 6 miles; course N.E.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 W. Oak 9 in. dia. bears S 5 E. 17 miles dist; r w  
 Beech 24 n n n N 20 W. 29 n n  
 80.00 Set a post for the cor. to sec. 35 & 36. T. N<sup>o</sup> 15 N.R.  
 N. R. W. from which a  
 Beech 5 in. dia. bears S 24 W. 9 miles dist; r w  
 Sugar 9 n n n N 50 E 21 n n  
 Lands rolling and good farming; 2<sup>nd</sup> Mer.;  
 Timber Beech, Sugar, Oak, and Ash.

---

West On the South Boundary of sec. 35 T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Ironwood 5 in. dia. bears S 52 E 4 miles dist; r w  
 Sugar 18 n n n N 19 W. 41 n n  
 80.00 Set a post for the cor. to sec. 34 & 35. T. N<sup>o</sup> 15 N.R.  
 N<sup>o</sup> 17. from which a  
 Sugar 24 in. dia. bears N 33 E 40 miles dist; r w  
 Beech 6 n n n S 2 W. 8 n n  
 Lands level and timber for some as on the last mile.

June 24<sup>th</sup> 1819.

---

West On the South Boundary of sec. 34 T. N<sup>o</sup> 15 N.R. N<sup>o</sup>  
 17.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Beech 9 in. dia. bears N 70 W. 10 miles dist; r w  
 Do 8 n n n S 21 E. 16 n n  
 80.00 Set a post for the cor. to sec. 33 & 34 T. N<sup>o</sup> 15 N.  
 R. N<sup>o</sup> 17. from which a  
 Beech 9 in. dia. bears S 15 W. 14 miles dist; r w  
 Elm 14 n n n N 35 E. 42 n n  
 Lands level, good for farming; forest rather wet  
 and swampy; Timber Beech, Sugar, Ash, some Wal-  
 nut and Buckeye.

Ex

T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17. 2<sup>nd</sup> Mer. (Ind.)

- West On the South Boundary of sec. 33. T. N<sup>o</sup> 15 N.R.  
N<sup>o</sup> 17.
- 23.00 To Spring Branch 6 miles wide; Corner S.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Kick 27 in. dia. bears S 35 W. 27 miles dist; to  
N. 9 n n n N 66 E. 25 n n
- 80.00 Set a post for the cor. to sec. 32. 133. T. N<sup>o</sup> 15 N.R.  
N<sup>o</sup> 17. from which a  
Span 12 in. dia. bears N 20 E. 14 miles dist; to.  
Kick 8 n n n S 48 E. 13 n n  
Sandy land and good for farming; East  $\frac{1}{2}$  a  
mineral not much timber; West  $\frac{1}{2}$  land Timber  
Beck, Sugar, Ash, Spruce, etc

- West On the South Boundary of sec. 33 T. N<sup>o</sup> 15 N.R. N<sup>o</sup>  
17. 2<sup>nd</sup> Mer. (Ind.)
- 24.50 To Brook 10 miles wide; Corner S.W.
- 34.00 To Brook 10 n n n N.W.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Beck 9 in. dia. bears N 38 E. 18 miles dist; to  
Lo 9 n n n S 35 W. 28 n n
- 80.00 Set a post for the cor. to sec. 31. & 32. T. N<sup>o</sup> 15 N.  
N<sup>o</sup> 17. from which a  
Kick 27 in. dia. bears N 34 E. 13 miles dist; to  
Lo 24 n n n S 57 W. 2 n n  
Sandy land and good for farming; Timber  
Oak, Beck, Sugar, Ash;

- West On the South Boundary of sec. 31. T. N<sup>o</sup> 15 N.R.  
N<sup>o</sup> 17.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Kick 11 in. dia. bears N 63 E. 14 miles dist; to  
Lo 4 n n n S 67 W. 23 n n
- 65.34 In the center, the <sup>N. 15 line</sup> 194 miles south of the township Township  
Cor. Sandy farm as in the last mile.

T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17. 2<sup>nd</sup> Mer. (Ind.)

## East Boundary (Var. 5° 55'

149

North On the 2<sup>nd</sup> Mer. East Boundary of sec. 36. T. N<sup>o</sup> 15 N.R. 17.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buckeye 12 in. dia. bears South 10 miles dist; to  
 Elm 10 " " " N 68 W 31 " "  
 44.00 To a Brook 20 miles mid; hence S.E.  
 80.00 Set a post for the cor. to sec. 25. 136. T. N<sup>o</sup> 15 N.  
 R. N<sup>o</sup> 17. from which a  
 Hackberry 9 in. dia. bears N 69 E. 16 miles dist; to  
 Sugar 18 " " " N 24 W. 28 " "  
 Land a little and good farming; Timber Beech  
 Sugar, Elm, Ash, &c. July 10. 1819

North On the 2<sup>nd</sup> Mer. East Boundary of sec. 25 T. N<sup>o</sup> 15  
 N.R. N<sup>o</sup> 17.  
 2.00 To a Brook 20 miles mid; hence S.E.  
 8.00 To a Brook 70 " " " E.  
 28.00 " " " 15 " " " S.E.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which on  
 Ironwoods 6 in. dia. bears South 10 miles dist; to  
 Beech 24 " " " N 81 E. 44 " "  
 80.00 Set a post for the cor. to sec. 24 & 25. T. N<sup>o</sup> 15 N.R. N<sup>o</sup>  
 17. from which a  
 White 24 in. dia. bears N 41 E. 28 miles dist; to  
 Beech 15 " " " S 37 W 30 " "  
 Land soil and timber same as on the last mile.

North On the 2<sup>nd</sup> Mer. East Boundary of sec. 24 T. N<sup>o</sup> 15  
 N.R. N<sup>o</sup> 17.  
 40.00 To a Brook 20 miles mid; hence S.E.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which on  
 Elm 18 in. dia. bears N 81 W. 39 miles dist; to  
 Ironwoods 9 in. " " N 27 E. 44 " "  
 80.00 Set a post for the cor. to sec. 13 & 24 T. N<sup>o</sup> 15 N.R.  
 N<sup>o</sup> 17 from which a  
 Beech 12 in. dia. bears S 19 E. 25 miles dist; to



*T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17. 2<sup>nd</sup> Mer. (Ind.)*

*Beck 27 in. dia. beam N 38 W. 10 miles dist; to  
Sando soil and timber same as on the last mile.*

*North On the 2<sup>nd</sup> Mer. East Boundary of sec. 13. T. N<sup>o</sup> 15.  
N.R. N<sup>o</sup> 17.*

*20.00 Top Brook 10 miles mid; Corner West*

*40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 18 in. dia. beam S 52 W. 12 miles dist; to  
Beck 9 " " " N 81 E. 26 " "*

*58.00 Top Brook 10 miles mid; Corner E.*

*80.00 Set a post for the cor. to sec. 12 & 13. T. N<sup>o</sup> 15 N.R.  
N<sup>o</sup> 17. from which a  
Beck 14 in. dia. beam S 5 E 11 miles dist; to  
Hq 9 " " " N 13 W. 12 " "  
Sando 2<sup>nd</sup> rate; Timber Beck, Ash, Sugar, &c.*

*North On the 2<sup>nd</sup> Mer. On the East Boundary of sec. 12  
T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17.*

*20.00 Top Brook 8 miles mid; Corner E.*

*40.00 Set a post for the cor. to 1/4 sec. from which a  
in. dia. beam S 60 W. 12 miles dist; to  
Beck 8 " " " N 43 E. 23 " "*

*80.00 Set a post for the cor. to sec. 1 & 2. T. N<sup>o</sup> 15 N.R.  
N.R. N<sup>o</sup> 17. from which a*

*W. Oak 27 in. dia. beam S 25 W. 16 miles dist; to  
Sugar 12 " " " N 14 E. 29 " "  
Sando soil and timber same as on the last mile.*

*North On the 2<sup>nd</sup> Mer. East Boundary of sec. 3 T. N<sup>o</sup> 15 N.  
R. N<sup>o</sup> 17.*

*40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 12 in. dia. beam S 40 E. 24 miles dist; to  
Beck 12 " " " N 54 E. 27 " "*

*84.40 Set a post for the cor. to sec. 1 & 2. T. N<sup>o</sup> 15. 15  
& 16. 16. N<sup>o</sup> 1 E. 41 W. from which a  
W. 139 in. dia. beam N 63 W. 5 miles dist; to*



T. N. 15 N.R. N. 17 W. 2<sup>nd</sup> Mer. (Ind. a)

- 25.00 Iron Brook 3 miles wide; Corner N.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Buck 12 in. dia. bears N 61 W. 23 miles wide; to  
 Logansville 8 n n S 72 E. 13 n n  
 44.00 Iron Brook 3 miles wide; Corner N.  
 76.00 n n 4 n n n n  
 80.00 Set a post for the cor. to Sec. 32, & 33. T. N. 16 N.  
 R. N. 17 W. from which a Buck 9 in. dia. bears  
 S 77 E 12 miles wide; to Sugar 15 n n n  
 N 40 W 12 n n Land similar to the last mile  
 fruit rolling.

- West On the South Boundary of sec. 32. T. N. 16 N.R. N. 17 W.  
 10.00 Iron Brook 10 miles wide; Corner N.E.  
 37.50 n n 4 n n S 77.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 W. Oak 30 in. dia. bears S 79 W. 30 miles wide; to  
 Sugar 18 n n n N 83 E. 17 n n  
 80.00 Set a post for the cor. to Sec. 31. & 32. T. N. 16 N.R. N. 17 W.  
 from which a Hickory 12 in. dia. bears N 7 E. 11 miles wide  
 and a W. Oak 12 in. dia. bears S 46 W. 24 n n  
 Land similar to the last mile very rich & rolling  
 some Walnut & Buckeye.

- West On the South Boundary of sec. 31. T. N. 16 N.R. N. 17 W.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Hickory 9 in. dia. bears S 86 W. 3 miles wide; to  
 Buck 12 n n n S 56 E. 25 n n  
 61.96 Intersection the Range line 353 miles North of the  
 township Township Corner made set a post for the cor. to  
 Sec. 1. 6. 31. 36. T. 15. 15. & 16. 16. N. 15. 102 W  
 from which a Buck 15 in. dia. bears N 57 E 2 miles wide  
 made a Sugar 18 n n n S 70 W. 52 n n  
 Land suitable for farming; Timber same.

West Boundary Var. 6.15'





T. N. 15 N.R. N. 17. 2nd. Div. (Ind. Co.)

North On the East Boundary of Sec. 13. T. N. 15 N.R. N. 27.

45.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
Beck 6 in. dia. beam S45 E. 26 miles dist; to  
Sugar 10 n n n N52 W. 33 n n

53.00 To a Brook 5 miles wide; hence S.W.

78.00 To a Brook 10 n n n S.W.

80.00 Set a post for the cor. to Sec. 12. & 13. T. N. 15 N.R.  
N. 27. from which a

Sugar 15 in. dia. beam S46 E. 19 miles dist; to  
Beck 14 n n n N51 W. 28 n n

Timber Beck, Sugar, Oak, Ash, & Poplar,  
Hickory

North On the East Boundary of Sec. 12. T. N. 15 N.R. N. 17.

40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
Beck 19 in. dia. beam S48 E. 27 miles dist; to  
Do 14 n n n N29 W. 16 n n

80.00 Set a post for the cor. to Sec. 1. & 12. T. N. 15 N.R. N. 17.

from which a Sugar 10 in. dia. beam S19 E. 14 miles  
dist; to Do 14 n n n S87 W. 13 n n

n Sande soil and good for farming; Timber  
Beck, Sugar, Ash, Hickory and Oak

North On the East Boundary of Sec. 1. T. N. 15 N.R. N. 27.

16.00 To a Brook 12 miles wide; hence N.

40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
Beck 10 in. dia. beam S27 W. 46 miles dist; to  
Sugar 12 n n n N9 W. 35 n n

61.00 To a Brook 12 miles wide; hence N.

80.00 Set a temporary post for the cor. to Sec. 1. Co. 31. 36  
T. N. 15. 15. & 16. 16. N.R. N. 1 & 27.

Surveyed by  
William Harris Lds.

9

I N<sup>o</sup> 15 N. R. N<sup>o</sup> 177. 2<sup>nd</sup> Mer. (Ind.<sup>a</sup>)

### Subdivisions.

North Peteron Loc! 35, & 36. I N<sup>o</sup> 15, N. R. N<sup>o</sup> 177.  
 26.64 Top Buck 18 in. dia. Stands in the line  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 9 in. dia. to and N 15 W. 8 miles dist; to  
 Sugar 9 " " " N 21 E. 5 " "  
 43.63 Top Buck 24 in. dia. Stands in the line.  
 80.00 Set a post for the cor. to Loc. 25, 26, 35, & 36. I N<sup>o</sup> 15  
 N. R. N<sup>o</sup> 177. from which a  
 W. Oak 26 in. dia. bears N 15 W. 10 miles dist; to  
 W. Oak 24 " " " S 29 E. 38 " "  
 Lands rolling 2<sup>nd</sup> rate; Timber 1 Buck, Oak, W. Oak  
 & 3 Oak, N. 9 Spruce; September. 18<sup>th</sup> 21.

---

East On a Rounder line between Loc. 25, & 36. I N<sup>o</sup> 15  
 N. R. N<sup>o</sup> 177.  
 40.00 Set a post (timber) for the cor. to  $\frac{1}{4}$  sec.  
 78.42 Into place the 2<sup>nd</sup> Mer. or E. 2<sup>nd</sup> Mer. at the post set  
 for the cor. to Loc. 25, & 36. Lands rolling 2<sup>nd</sup> rate.  
 Timber same as in the last mile

---

West On the true line between Loc. 25, & 36. I N<sup>o</sup> 15 N. R. N<sup>o</sup> 177.  
 39.21 Set the timber post at the cor. dist on the true line for  
 the cor. to  $\frac{1}{4}$  sec. from which a  
 W. Oak 24 in. dia. bears S 27 W. 13 miles dist; to  
 Buck 16 " " " N 11 E. 21 " "  
 78.42 To the post set for the cor. to Loc. 25, 26, 35, & 36.

---

North Peteron Loc. 25, & 26. I N<sup>o</sup> 15 N. R. N<sup>o</sup> 177.  
 24.00 Top Walnut 28 in. dia. Stands in the line.  
 36.50 Top Buck 10 miles wide; Corner S. E.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Hick 21 in. dia. bears S 27 W. 50 miles dist; to  
 Hick 10 " " " S 77 E. 29 " "  
 55.81 Top Buck 12 in. dia. Stands in the line.  
 63.00 Top Buck 100 miles wide Corner S. E.

T. N. 15 N. R. N. 17. 2<sup>nd</sup> Mer. (2<sup>nd</sup> S.)

80.00 Set a post for the cor. to Sec. 23, 24, 25, 26 from which a Cherry 6 in. dia. bears S 41 E. 31 miles dist; & a Beech 16 in. " " S 45 W. 6 in. " Same kind of timber same as in the last mile.

East On a Random line between Sec. 24 & 25 T. N. 15 N. R. N. 17.

31.00 To a Brook 6 miles wide; Course S.

40.00 Set a temp. post for the cor. to 1/4 Sec.

79.00 Intersect the 2<sup>nd</sup> Mer. or East Boundary of the North of the post. Set for the cor. to Sec. 24 & 25 Same soil and timber same as in the last mile.

West On the true line between Sec. 24 & 25 T. N. 15 N. R. N. 17.

39.50 Set the temp. post at the corner dist on the true line for the cor. to 1/4 Sec. from which a Beech 14 in. dia. bears S 22 W. 40 miles dist; & a N. Oak 24 in. " " N 40 E. 14 in. "

79.00 To the post set for the cor. to Sec. 23, 24, 25, & 26.

North Between Sec. 23 & 24 T. N. 15 N. R. N. 17.

21.36 To a N. Oak 33 in. dia. stands in the line.

40.00 Set a post for the Cor. to 1/4 Sec. from which a N. Oak 20 in. dia. bears S. 60 W. 9. the dist. & a Sugar 12. " " " N. 61 E. 4. " "

63.20 To a M. Ash 30 in. dia. stands in the line

80.00 Set a post for the Cor. to Sec. 13, 14, 23, & 24, from which a Sugar 16 in. dia. bears S. 65 W. 19. the dist. & an Ironwood 5. " " " N. 15 E. 9. " " Same soil; Soil & timber same as the last mile.

East On a Random line between Sec. 13 & 14 T. 15 N. R. 1.

40.00 Set a Temp. post for the Cor. to 1/4 Sec.

57.00 To a Brook 6. the. wide. Course S. E.

78.94 Intersected the E. Boundary or 2<sup>nd</sup> Mer. 16 miles

I N<sup>o</sup> 15 N.R. N<sup>o</sup> 177. 2<sup>nd</sup> Mer. (In a<sup>c</sup>)

North of the first set for the cor. to Sec. 13 & 24. I N<sup>o</sup> 15 N.R. N<sup>o</sup> 177. Land same as on the last run.

West On the true line between Sec. 13 & 24 I N<sup>o</sup> 15 N.R. N<sup>o</sup> 177.

39.47 Set the temporary first at the corner, dist on the true line for the cor. to  $\frac{1}{4}$  sec. from which a  
Beck 12 in. dia. bears S 77 E. 18 miles dist; to  
W Elm 14 a n n N 60 W. 27 n n

78.94 To the first set for the cor. to Sec. 13 14 23 & 24  
October 13<sup>th</sup> 1820.

North Between Sec. 13 & 14. I N<sup>o</sup> 15 N.R. N<sup>o</sup> 177.

22.00 To a Beck 16 in. dia. It ends in the line.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Red Oak 24 in. dia. bears N 54 E. 29 miles dist; to  
Beck 16 n n n S 71 W. 21 n n

60.36 To a sugar 12 in. dia. It ends in the line.

80.00 Set a post for the cor. to Sec. 11 12 13 & 14 from which  
White 12 in. dia. bears N 53 W. 24 miles dist; to  
Sycamore 10 n n n N 76 E. 6 n n  
Land here made 2<sup>nd</sup> rate; Timber Beck, Oak,  
Ash, Sugar, &c.

East On a Random line between Sec. 12 & 13. I N<sup>o</sup> 15 N.R. N<sup>o</sup> 177.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. (temporary)

55.15 To a Beck 6 miles wide; course S.E.

78.95 Intersected the East Boundary of I N<sup>o</sup> 15 N.R. N<sup>o</sup> 177. 185 miles North of the first set for the cor. to Sec. 12 & 13. Land made timber same as on the last run.

West On the true line between Sec. 12 & 13. I N<sup>o</sup> 15 N.R. N<sup>o</sup> 177.

39.47 Set the temporary first at the corner, dist on the true line for the cor. to  $\frac{1}{4}$  sec. from which a



I. No 15 N.R. No 17. 2<sup>nd</sup> Mer. (In A.)

Beck 18 in. dia. base N 59 W. 6 links dist; to  
Sugon 14 n n n N. 84 E. 27 n n  
78.95 To the first set for the cor. to Sec. 11. 13. & 12. & 14.

North Return Sec. 11. & 12. I. No 15 N.R. No 17.  
13.21 To a Poplar 24 in. dia. stands in the line.  
40.00 Set a post for the cor. to 1/4 Sec. from which a  
Beck 20 in. dia. stands N 9 W. 45 links dist; to  
W. Oak 36 n n n South 13 n n  
56.03 To a W. Oak 20 in. dia. stands in the line.  
80.00 Set a post for the cor. to Sec. 1. 2. 11. 12 from which a  
Sugon 12 in. dia. base N 55 E. 19 links dist; to  
B. Oak 20 n n n S 21 W. 18 n n  
Sands soil and timber same as in the last mile.

East On a random line between Sec. 1. & 12. I. No 15  
N.R. No 17.  
40.00 Set a temporary post for the cor. to 1/4 Sec.  
79.04 Intersect the 2<sup>nd</sup> Mer. or East 1 found by 226  
links North of the first set for the cor. to Sec. 1. & 12  
Sands soil and timber same as in the last mile.

West On the true line between Sec. 1. & 12. I. No 15 N.  
R. No 17.  
39.50 Set the temporary post at the corner dist on the true line  
for the cor. to 1/4 Sec. from which a  
B. Oak 10 in. dia. base S 5 W. 23 links dist; to  
W. Oak 36 n n n N 15 W. 19 n n  
79.04 To the first set for the cor. to Sec. 1. 2. 11. 12.

North Return Sec. 1. & 2 I. No 13 N.R. No 17.  
26.28 To a Sugon 20 in. dia. stands in the line.  
33.97 To a Birch 4 links dist; corner East  
40.00 Set a post for the cor. to 1/4 Sec. from which a  
Beck 20 in. dia. base N 5 W. 18 links dist; to  
Lo 14 n n n S 11 E. 8 n n

*T. N. 15 N. R. N. 17. D. & P. Mer. (Ind. a.)*

- 62.00 To a Brook 4 miles wide; Course E. N.  
 66.81 To a W. Oak 30 mi. dia. Stands in the line.  
 81.66 Entered the N. Boundary of T. N. 15 N. R. N. 17.  
 24 miles West of the first set for the cor. to lat.  
 35 136. T. N. 16. N. R. N. 17. and set a post.  
 for the cor. to lat. 1. & 2. from which a  
 Beach 12 mi. dia. bears S 56 E. 11 miles east; & a  
 Chert 12 n — — S 57 W. 25 n —  
 Sand soil and timber same as on the last mile.  
 March 15<sup>th</sup> 1821.

- North Between Lat. 34 & 35. T. N. 15 N. R. N. 17.  
 10.00 To a Brook 10 miles wide; Course N.  
 16.50 To a Hickory 20 mi. dia. Stands in the line.  
 40.70 Set a post for the cor. to 1/4 sec. from which a  
 Beach 11 mi. dia. bears N 45 E. 50 miles east; & a  
 Chert 10 n — — S 4 W. 11 n — —  
 73.70 To a W. Oak 26 mi. dia. Stands on the line.  
 80.70 Set a post for the cor. to lat. 26, 27, 33, & 34. from which  
 a Beach 6 mi. dia. bears S 39 E. 28 miles east; & a  
 Do 12 n — — N 48 W. 35 n — —  
 Sand soil and 2<sup>nd</sup> rate; Timber (Beach, Sugar, ash,  
 Undergrowth Spruce).

- East In afternoon line between Lat. 26. & 35 T. N. 15 N. R. N. 17.  
 40.00 Set a post for the cor. to 1/4 sec. (turning)  
 79.75 Entered the N. & S. line 25 miles North of the first.  
 Set for the cor. to lat. 25, 26, 35, 36.  
 Sand soil and 2<sup>nd</sup> rate; Timber Same as on the  
 last mile.

- West Made true line between Lat. 26. & 35 T. N. 15 N. R. N. 17.  
 39.87 Set the temporary post at the aver. dist on the true line  
 for the cor. to 1/4 sec. from which a  
 W. Oak 16 mi. dia. bears N 14 E. 3 miles east & a

T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17. 2<sup>nd</sup> Mer. (S. 1<sup>st</sup>)

Tree 10 in. dia. base 49 ft. 3 limbs each;  
Sands soil under timber same as in the last run.

North Bottom Sec. 26. & 27 T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17.  
18.30 To a N. Oak 16 in. dia. stands in the line.  
26.50 To a Brook 10 limbs wide; course East.  
40.00 Set a post for the cor. to 1/4 Sec. from which a  
Tree 26 in. dia. base N 11 E. 24 limbs each; to  
Sugar 12 a n n N 12 E. 10 a n  
57.25 To a Tree 16 in. dia. stands in the line.  
80.00 Set a post for the cor. to Sec. 22, 23, 26, & 27. from  
which a N Oak 20 in. dia. base N 57 W. 30 limbs each  
under a Tree 10 a n n N 82 E. 15 a n  
Sands, wood under 2<sup>nd</sup> rate; Timber Brook, Sugar  
Oak, and N. Oak

East On a Random line between Sec. 23. & 26. T. N<sup>o</sup>  
15 N.R. N<sup>o</sup> 17  
22.00 To a Spring. course N.  
40.00 Set a temporary post for the cor. to 1/4 Sec.  
41.50 To a Brook 75 limbs wide; course E.  
79.80 Into Section the N & S line 10 limbs North of the post  
Set for the cor. to Sec. 23, 24, 25, 26.  
Sands Broken 2<sup>nd</sup> rate; Timber Brook Oak  
Oak; (N.) Spruce.

West On the true line between Sec. 23. & 26. T. N<sup>o</sup> 15 N.  
R. N<sup>o</sup> 17  
39.90 Set ~~temporary~~ post at the aver. dist on the true line.  
for the cor. to 1/4 Sec. from which a  
Tree 6 in. dia. base N 5 E. 15 limbs each; to  
Sugar 12 a n n N 61 E. 27 a n  
79.80 To the post set for the cor. to Sec. 22, 23, 26, 27.

North Bottom Sec. 22, & 23 T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17.  
5.00 To a Brook 6 limbs wide; course East

*T. No 15 N.R. No 17. 2<sup>nd</sup> Mer. (In a.)*

- 25.57 To a Brook 75 miles wide; course S.E.  
 27.25 To a stream 16 mi. wide. Stands in the line.  
 40.00 Set apart for the cor. to  $\frac{1}{4}$  sec. from which a  
 13 Walnut 28 in. dia. bears N. 15 E. 12 miles dist; to  
 41 E. line 12 " " " S 53 W. 19 " "  
 54.00 To a Brook 75 miles wide; course W.  
 74.00 To a Hackberry 26 in. dia. Stands in the line.  
 80.00 Set apart for the cor. to sec. 14, 15, 22, 23 from which  
 a 17 Walnut 14 in. dia. bears N 12 E. 23 miles dist; to  
 Cherry 6 " " " S 35 E. 31 " "  
 Timber same as in the last mile. Same level and  
 N.E. rate;

East On a Random line between Sec. 14 & 23. *T. No 15 N. R. No 17.*

- 17.50 To a Brook 50 miles wide; course S.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 80.00 Intersect the N. 13 line 10 miles North of the post  
 Set for the cor. to sec. 13, 14, 23 & 24. Same rolling  
 and 2<sup>nd</sup> rate; Timber Oak, Sugar, Ash & Oak

West On the true line between Sec. 14 & 23. *T. No 15 N.R. No 17.*

- 40.00 Set the temporary post at the corner with the true line.  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 14 in. dia. bears N 16 W. 9 miles dist; to  
 Hick. 20 " " " S 23 W. 14. " "  
 80.00 Set the post for the cor. to sec. 14, 15, 22, & 23.  
 October 15 1820.

North Between Sec. 14 & 15 *T. No 15 N.R. No 17.*

- 18.37 To Sugar 18 in. dia. Stands in the line.  
 21.92 To a Brook 75 miles wide; course S.E.  
 22.90 " S. " 75 " " " S.W.  
 35.90 " S. " 75 " " " S.E.  
 40.00 Set apart for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 20 in. dia. bears S 41 W. 17 miles dist; to



## T. N. 15 N. R. No 177. 2nd Mer (Ind. 2)

- 4 Buckeye 10 in. dia. beam N 55 E. 19 miles dist; to  
 57.50 To a Brook 10 miles wide; course S. W.  
 58.72 To a W. Oak 18 in. dia. stands in the line.  
 80.00 Set a post for the cor. to Sec. 10, 11, 14, 15 from which a  
 Buck 16 in. dia. beam N 6 W. 41 miles dist; to  
 Poplar 24 " " " N 1 E. 14 " "  
 Sandwich; timber same as in the last mile.

East On a random line between Sec. 11. & 14. T. N. 15 N. R.  
 No 177.

- 40.00 Set a temporary post for the cor. to 14  
 46.70 To a Brook 10 miles wide; course S. W.  
 79.58 Intersect the N. & S. line 23 miles South of the post  
 Set for the cor. to Sec. 11, 12, 13 & 14. T. N. 15 N. R. No  
 177. Sandhills and 2nd rate; Timber Beech, In-  
 gone Oak, and Ash.

West On the true line between Sec. 11. & 14. T. N. 15 N. R.  
 No 177.

- 39.79 Set the temporary post at the av. dist on the true line  
 for the cor. to 14 Sec. from which a  
 Sugar 18 in. dia. beam N 45 W. 27 miles dist; to  
 Buck 12 " " " S 38 E. 29 " "  
 79.56 To the post set for the cor. to Sec. 10, 11, 14 & 15

North Between Sec. 10. & 11 T. N. 15 N. R. No 177.

- 11.87 To a W. Elm 22 in. dia. beam in the line.  
 14.63 To a Brook 20 miles wide; course S. W.  
 35.00 To a Brook 60 " " " S. W.  
 40.00 Set a post for the cor. to 14 Sec. from which a  
 Buckeye 12 in. dia. beam N 74 W. 30 miles dist  
 11 Walnut 20 " " " N 5 E. 8 " "  
 50.33 To a Brook 60 miles wide. course N. E.  
 60.87 To a Buck 12 in. dia. stands in the line.  
 80.00 Set a post for the cor. to Sec. 2, 3, 10, 11, from which  
 a Buck 22 in. dia. beam N 54 W. 19 miles dist; to P. 16

T. N<sup>o</sup> 15. N.R. N<sup>o</sup> 17. 2<sup>nd</sup> Mer. (Ind.)

Beck 18 in. dia. stands in S 59 E. 32 miles dist; 1  
Lumber broken 2<sup>nd</sup> rate; Timber same as before.

East On a random line between Sec. 2. & 11. T. N<sup>o</sup> 15 N.  
R. N<sup>o</sup> 17

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.

44.75 To a Brook 10 miles near corner S.W.

79.60 Then enter the N.S. line 44 miles South of the post  
set for the cor. to Sec. 1. 2. 11. 12. Land level and  
2<sup>nd</sup> rate; Timber same as on the last mile;

West On the true line between Sec. 2. & 11. T. N<sup>o</sup> 15. N.  
R. N<sup>o</sup> 17

39.80 Set temporary post at the aver. dist on the true line.  
for the cor. to  $\frac{1}{4}$  sec. from which a

N. dist 18 in. dia. bears N 85 W. 29 miles dist; to

Beck 18 " " " S 40 E. 13 " "

79.60 To the post set for the cor. to Sec. 2. 3. 11. 11.

North Between Sec. 2 & 3. T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17.

25.75 To a Beck 12 in. dia. stands in the line.

29.00 To a Brook 4 miles near corner S.W.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a

Beck 18 in. dia. bears N 54 E. 10 miles dist; to

Do. 18 " " " N 53 W. 19 " "

68.34 To a poplar 36 in. dia. bears in the line.

82.71 Then enter the N. Boundary 8 miles west of the post  
set for the cor. to Sec. 34 & 35. T. N<sup>o</sup> 16 N.R. N<sup>o</sup> 17.

undo set a post for the cor. to Sec. 2 & 3. from which a

B. Walnut 32 in. dia. bears N 31 E. 19 miles dist; to

N. dist 30 " " " S 6 E. 31 " "

Land looks for farming; Timber as on the last  
mile. March 16<sup>th</sup> 1821.

North Between Sec. 33 & 34 T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17.

24.13 To a Spruce 9 in. dia. bears in the line.

T. No 15 N. R. No 17. 2<sup>nd</sup> Mer. (Ink<sup>2</sup>)

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Tree 10 in. dia. bears S83E. 5 miles dist; to  
 Do 12 " " " N66W 25 " "  
 53.50 To a Brook 6 miles wide; course E.  
 65.13 To a Brook 18 in. dia. Stands in the line.  
 80.00 Set a post for the cor. to Sec. 27, 28, 33, & 34 from  
 which a Poplar 30 in. dia. bears West 4 miles dist  
 and a Tree 12 " " " S6E. 29 " "  
 Cuts same as on the last mile

East On Random line between Sec. 27, & 34 T. No 15  
 N. R. No 17.

- 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 79.90 From Sec. 34 the N. & S line 8 miles North of the post  
 set for the cor. to Sec. 26, 27, 34, 35.  
 Cuts same as on the last mile.

West On the true line between Sec. 27, & 34 T. No 15 N.  
 R. No 17

- 39.95 Set the temporary post at the corner on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 16 in. dia. bears S81W. 25 miles dist; to  
 Do 18 " " " S57E. 38 " "  
 79.90 To the post set for the cor. to Sec. 27, 28, 33 & 34

North Between Sec. 27, & 28 T. No 15 N. R. No 17.

- 23.30 To a Sugar 12 in. dia. Stands in the line.  
 37.00 To a Brook 6 miles wide; course S.E.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Tree 15 in. dia. bears S81E. 28 miles dist; to  
 W. Oak 24 " " " S26W. 28 " "  
 66.10 To a Tree 14 in. dia. Stands on the line.  
 81.00 Set a post for the cor. to Sec. 21, 22, 27, & 28. From  
 which a W. Oak 20 in. dia. bears S82E. 47 miles dist  
 and a Tree 9 " " " N31W 25 " "  
 Cuts and 2<sup>nd</sup> rate; similar as before



I. N. 15 N. R. N. 17. Grade Mer. (Ind.)

East On a Random line between Sep. 22, 127. I. N. 15  
N. R. N. 17.  
4.50 To a Brook 6 miles wide; Course N.E.  
40.00 Set apart for the cor. to 1/4 sec.  
79.97 Into section the N. & S. line 6 miles North of the first  
set for the cor. to sec. 22, 23, 26, 27.  
Sands rolling Grade rate; Timber same as before

West On the true line between Sep. 22, 127. I. N. 15 N.  
R. N. 17  
39.98 Set the pump first at the aver. dist on the true line  
for the cor. to 1/4 sec. from which a  
Beck 18 mi. dist. line S 18 E. 20 miles dist; r o  
Poplar 18 a n n N 28 W 27 n n  
49.97 To the first set for the cor. to sec. 21, 22, 27, & 28.

North Between Sep. 21, 122 I. N. 15 N. R. N. 17.  
17.00 To a Brook 6 miles wide; Course E  
33.00 To a Brook 8 a n n E.  
36.75 To a B. Ash 14 mi. dist. stands in the line  
40.00 Set apart for the cor. to 1/4 sec. from which a  
W. Oak 20 mi. dist. bears S 41 E. 16 miles dist; r o  
Beck 24 n n n N 87 W. 40 n n  
63.00 To a Beck 26 mi. dist. at an angle in the line.  
72.00 To a Brook 6 miles wide; Course E.  
80.00 Set apart for the cor. to sec. 15, 16, 21, & 22 from which  
a Beck 10 mi. dist. bears S 23 W. 16 miles dist; r o  
Do 9 n n n N 50 W. 18 n n  
Sands rolling Timber as before

East On a Random line between Sep. 15, 122 I. N. 15  
N. R. N. 17  
40.00 Set apart for the cor. to 1/4 sec. from mt  
40.50 To a Brook 6 miles wide; Course N.E.  
44.00 To a n 6 n n n P.E.  
79.96 Into section the N. & S. line 22 miles North of the first



T. N. 15 N.R. N. 17. 2<sup>nd</sup> Mer. Ind. A.

Set for the cor. to sec. 14 15. 22. & 23.

Land rolling 2<sup>nd</sup> rate; Timber Buck, Sugar,  
Oak, Ash, Walnut &c. Old Spruce.

West On the true line between Sec. 15. & 22 T. N. 15 N.  
N. R. N. 17.

39.98 Set the temporary post at the aver. dist. on the true line  
from the cor. to 1/4 sec. from which a  
Sugar 10 in. diam. bears N 50 E 20 links dist; to  
Buck 8 " " " West 15 " " "

79.96 To the post set for the cor. to sec. 15. 16. 21. & 22

North Between Sec. 15 & 16 T. N. 15 N.R. N. 17.

11.50 To a Brook 4 links wide; Course S.E.

27.60 To a Buck 10 in. diam. stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Doplar 30. in. diam. bears S. 66. W. 28. links. dist. & a  
Buck 12. " " " N. 41. E. 9. " " "

44.30 To a Brook 6 links wide. Course S.E.

57.07 To a Brook 5 " " " S.E.

60.60 To a Sugar 12. in. diam. stands in the line

80.07 Set a Post for the cor. to Sec. 9. 10. 15. & 16. from which a  
Buck 14 in. diam. bears N. 32. W. 25. links. dist. &  
a Do. 4 " " " S. 58. E. 19 " " "  
Land Rolling & 2<sup>nd</sup> rate. Timber, Buck, Oak, Sugar &c.

East On a Standard line Between Sec. 10. & 15.

37.00 To a Brook 6 links wide; Course S.E.

40.00 Set a Temp. Post for the cor. to 1/4 Sec.

43.73 To a Brook 60 links wide. Course S.E.

79.94 Intersected the N. & S. line 28. links. N. of the post  
set for the cor. to Sec. 10. 11. 14. & 15. Land & Timber  
on this line the same as the last.

West On true line Between Sec. 10. & 15. T. N. 15. N. R. N. 17.

39.97 Set the Temp. post at the aver. dist. on true line from

T. N. 15 N. 16. N. 1. W. 2nd Mer.

the Cor. to  $\frac{1}{4}$  Sec. from which a Mt. Oak 20. in. diam. bears N. 10. E. 14. lks. dist. & a Buck 6. " "  
" S. 55. E. 5. " "

79. 94 To the Post set for the Cor. to Sec. 4. 10. 15. & 16.

North Between Sec. 9. & 10. T. N. 15. N. 16. N. 1. W.

20. 20 To a Brook 3. lks. wide; Course S. E.

25. 73 To a Sugar 22 in. diam. stands in the line.

40. 00 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. from which a Buck 24. in. diam. bears N. 87. E. 10. lks. dist. & a Sugar 20. " " " N. 35. W. 25. " "

53. 50 To a Brook 3 lks. wide Course S. E.

65. 00 To a Sugar 20. in. diam. stands in the line.

80. 00 Set a Post for the Cor. to Sec. 3. 4. 9. & 10. from which a Mt. Oak 20. in. diam. bears N. 66. W. 10. lks. dist. & a Buck 10. " " " N. 41. E. 12. " "  
Land and Timber the same as the last mile.

East On a Random line Between Sec. 3. & 10.

40. 00 Set a Imp. Post for the Cor. to  $\frac{1}{4}$  Sec.

43. 00 To a Brook 60. lks. wide; Course S. E.

67. 75 To a Do. 3. " " " South

79. 90 Intersect the N. & S. line 24. lks. N. of the Post set for the Cor. to Sec. 2. 3. 10. & 11; Land & Timber the same as the last mile.

West On a True line Between Sec. 3. & 10. T. N. 15. N. 16. N. 1. W.

39. 95 Set a Post at aver. dist. on true line from which a Sycamore 20. in. diam. bears N. 20. E. 40. lks. dist. & a Buckeye 9 " " " S. 20. W. 19. " "

79. 90 To the Post set for the Cor. to Sec. 3. 4. 9. & 10.

North Between Sec. 3. & 4. T. N. 15. N. 16. N. 1. W.

23. 40 To a Sugar 20. in. diam. stands in the line

40. 00 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. from which a Sugar 30. in. diam. bears N. 12. W. 12. lks. & a Do. 12. in. diam. bears S. 21. E. 24. lks.

## T. N 15. N. Co. N. 1. W. 2nd Mer.

- 56.56 To a Sugar 20 in. diam. stands in the line.  
 61.50 To a Brook 4. lks. wide course S. E.  
 53. 00 Intersected the N. Boundary line 40. lks. E. of the  
 Post set for the Cor. to Sec. 3. 4. from which a Buck 10  
 in. diam. bears West 24. lks. dist. & a Buck 4.  
 " " " N 10. W. 24. lks. dist.  
 Land & Timber the same as the last mile March 17. 1821.

- North Between Sec. 32. & 33. T. N 15. N. Co. N. 1. W.  
 23. 00 To a W. Ark 26. in. diam. stands in the line  
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Ark.  
 7. in. diam. bears N. 77. E. 6. lks. dist. & a Sugar 9. in.  
 " " " S. 77. W. 6. " "  
 56.50 To a Brook 6. lks. wide. course W.  
 57. 90 To a Buck 16. in. diam. stands in the line.  
 50. 00 Set a Post for the Cor. to Sec. 28. 29. 32. & 33. from  
 which a Sugar 16. in. diam. bears N. 53. E. 13. lks. dist.  
 & a Sugar 8. " " " S. 71. W. 55. " "  
 Land Rolling & good for Farming. Soil of 2nd  
 Quality; Timber. Buck. Sugar. Ark. Poplar. Oak. &c.

- East On a Random line Between Sec. 28. & 33.  
 40. 00 Set a Temp. Post for the Cor. to 1/4 Sec.  
 60. 00 To a Stream 6. lks. wide. course S.  
 79. 25 Intersected the N. & S. line. 10. lks. N. of the Post set  
 for the Cor. to Sec. 27. 28. 33. & 34. Land Rolling,  
 Timber. Buck. Ark. Sugar. & Poplar & Walnut.  
 Undergrowth Spice.

- West On True line between Sec. 28. & 33. T. N 15. N. Co. N. 1. W.  
 34. 62 1/2 Set a Temp. Post at the aver. dist. on true line from  
 which a Sugar 14. in. diam. bears N. 10. W. 18. lks. dist.  
 & a W. Ark 16. " " " N. 58. E. 21. " "  
 79. 25 To the Post set for the Cor. to Sec. 28. 29. 32. & 33.

- North Between Sec. 28. & 29. T. N 15. N. Co. N. 1. W.



T. N. 15. N. Co. N. 1. M. 2<sup>nd</sup> Mer.

11. 00 To a Stream 6. lks. wide. Course S. M.  
 15. 00 To a Sugar 14. in? diam? stands in the line.  
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a M. Elm  
 14. in? diam? bears S. 7. M. 15. links. dist. & a Sugar  
 14. " " " N. 28. E. 17. " "  
 40. 05 To a Stream 6. lks. wide. Course M.  
 79. 00 To a Stream 4. " " " M.  
 50. 00 Set a Post for the Cor. to Sec? 20. 21. 28. & 29. from which  
 an Ironwood 5. in? diam? bears N. 87. M. 25. lks. dist  
 & a Sugar. 12. " " " N. 35. lks. dist  
 Land Rolling: Soil of a 3<sup>rd</sup> quality. Timber, Buck  
 Ash. Sugar. M. Oak. & Hickory. Mr. I. Spicer.

- East On a Random line between Sec? 21. & 28. T. N. 15. S. N. M.  
 40. 00 Set a Temp? post for the Cor. to 1/4 Sec.  
 79. 00 Intersected the N. & S. line 13. links. N. of the post set for  
 the Cor. to Sec? 21. 22. 27. & 28. Land Rolling &  
 3<sup>rd</sup> rate; Timber, Buck. Ash. Sugar. B. Walnut.  
 Hickory. &c. Spice bush W. G.

- West Between Sec? 21. & 28. On true line. T. 15. N. Co. N. 1. M.  
 39. 50 Set the Temp? post at the aver. dist. for 1/4 Sec. Cor  
 on true line from which a Poplar 8. in? diam? bears S.  
 23. M. 21. lks. dist & a " 9. " " " N.  
 63. E. 7. " "  
 79. 00 To the post set for the Cor. to Sec? 20. 21. 28. & 29.

- North Between Sec? 20. & 21. T. N. 15. N. Co. N. 1. M.  
 23. 00 To a Stream 5. lks. wide; Course M.  
 25. 40 To a Sugar 14. in? diam? stands in the line.  
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 14.  
 in? diam? bears N. 70. E. 14. lks. dist & a Buck 26.  
 " " " N. 87. M. 17. " "  
 74. 90 To a Poplar 40. in? diam? stands in the line  
 50. 00 Set a Post for the Cor. to Sec? 16. 17. 20. & 21. from which  
 a B. Oak 10. in? diam? bears West 19. lks. dist & a



T. N 15 N. Co. N. A. M. 2<sup>nd</sup> M.

W. Hickory 7 in? diam? bears S. 88. E. 25. lbs. dist.  
 Sand Rolling; Soil of a 2<sup>nd</sup> quality. Timber. Buck.  
 Ash. Sugar. Hickory, Oak. Undergrowth Spice

East On a Random line Between Sec? 16. & 21.  
 40. 00 Set a Temp? Post for the Cor. to 1/4 Sec.  
 79. 25 Intersecting the N. & E. line 12. lbs. N. of the Post. set  
 for the Cor. to Sec? 15. 16. 21. & 22. — Sand Rolling  
 Timber. Buck. Ash. Hickory. Spice & W. G.

West On True line Between Sec? 16. & 21. T. N 15. N. Co. N. A. M.  
 39. 62 1/2 Set the Temp? Post for the Cor. to 1/4 Sec. at an un. dist.  
 on True line. from which a Buck 10. in? diam? bears  
 S. 24. W. 11. lbs. dist? & a Do 18. " " "  
 S. 13. E. 19. " "  
 79. 25 To the post set for the Cor. to Sec? 16. 17. 20. & 21.

North Between Sec? 16. & 17. T. N 15. N. Co. N. A. M.  
 16. 25 To a W. Oak 20. in? diam? stands in the line  
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which an O.  
 Oak 2 1/2 in? diam? bears N. 82. W. 14. lbs. dist? & a  
 Buck 18. " " " " N. 60. E. 19. " "  
 57. 37 To a W. Ash 2 1/4 in? diam? stands in the line.  
 50. 00 Set a Post for the Cor. to Sec? 8. 9. 16. & 17. from which a  
 Sugar 12. in? diam? bears S. 58. W. 12. lbs. dist?  
 & a W. Ash 7. in? " " S. 43. E. 13. " "  
 Land & Timber the same as on the last mile.

East On a Random line Between Sec? 9. & 16.  
 40. 00 Set a Temp? post. for the Cor. to 1/4 Sec.  
 79. 28 Intersecting the N. & E. line 10. lbs. N. of the Post. set  
 for the Cor. to Sec? 9. 10. 15. & 16. Sand. and Timber.  
 the same as on the last mile.

West On True line Between Sec? 9. & 16. T. N 15. N. Co. N. A. M.  
 39. 64 Set the Temp? post. at the un. dist. on true line for the

T. N. 15. N. Co. N. 1. W. 2<sup>nd</sup> Mer.

Cor to  $\frac{1}{4}$  Sec. from which an Ironwood 6. in. diam. bears  
 S. 68. E. 8. lbs. dist. & a Buck 8. in. diam. bears N. 47. W. 24.  
 79. 28 To the Post set for the Cor. of Sec. 8. 9. 16. 17.

North Between Sec. 8. & 9. T. N. 15. N. Co. N. 1. W. 2<sup>nd</sup> Mer.  
 10. 25 To a Buck 3 lbs. wide. Course S. W.  
 29. 08 To a W. Ash 36. in. diam. stands in the line.  
 40. 00 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. from which a Hickory 22.  
 in. diam. bears S. M. E. 24. lbs. dist. & a Buck 20.  
 " " " N. 73. W. 30. " "  
 58. 16 To a Sugar 14. in. diam. stands in the line.  
 58. 00 Set a Post for the Cor. to Sec. 4. 5. 8. & 9. from which a  
 W. Ash 24. in. diam. bears S. 82. W. 8. lbs. dist. & a  
 Sugar 15. " " " S. 67. E. 15. " "  
 Land and Timber the same as the last mile

East On a Random line Between Sec. 4. & 9. T. 15. N. Co. N. 1. W.  
 46. 00 Set a Improv. Post for the Cor. to  $\frac{1}{4}$  Sec.  
 79. 21 Intersected the N. & S. line 14. lbs. N. of the Post set  
 for the Cor. to Sec. 3. 4. 9. & 10. Land & Timber the same as before.

West Between Sec. 4. & 9. On True line T. 15. N. Co. N. 1. W.  
 39. 60 $\frac{1}{2}$  Set the Improv. Post for the Cor. to  $\frac{1}{4}$  Sec. at the area.  
 dist on true line, from which a Buck 8. in. diam. bears  
 N. 60. W. 16. lbs. dist. & a Buck 18. in. bears S. 66. E. 27. lbs.  
 79. 21 To the Post set for the Cor. to Sec. 4. 5. 8. & 9.

North Between Sec. 4. & 5. T. N. 15. N. Co. N. 1. W. 2<sup>nd</sup> Mer.  
 23. 43 To a W. Ash 30. in. diam. stands in the line.  
 40. 00 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. from which a Sugar 12.  
 in. diam. bears N. 54. E. 24. lbs. dist. & a Sugar 9. in.  
 " " " S. 3. E. 12. " "  
 63. 61 To a Poplar 24. in. diam. stands in the line.  
 82. 94 Intersected the N. Boundary 39. lbs. E. of the Post.  
 Set a Post for the Cor. to Sec. 4. & 5. from which a  
 Buck 8. in. diam. bears N. 9. W. 28. lbs. dist. & a

## T. N 15. N. Co. N 1. N. 2nd Mer.

Buck 12. in. diam. bears S. 7. N. 29. lbs. dist.  
Land & Timber the same as in the last mile.

March 18. th 1821.

North Between Secs 31. & 32. T. N 15. N. Co. N 1. N.  
2. 00 On a Stream 6. lbs. wide. Course N.  
25. 00 On a Stream 12. " " " S. N.  
32. 75 On a Sugar 16 in. diam. stands in the line.  
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Sugar  
12. in. diam. bears N. 82. N. 11. lbs. dist. & a S.  
10. " " " N. 42. E. 28. " "  
53. 00 On a Stream 5. lbs. wide; Course S. N.  
58. 00 On a Spruce 28. in. diam. stands in the line  
50. 00 Set a Post for the Cor. to Secs 29. 30. 31. & 32. from  
which a M. Elm 12. in. diam. bears S. 53. N. 28. lbs. dist.  
& a Buck 20. " " " N. 7. E. 28. " "  
Land level; Soil of a 2nd quality; Timber. Buck. Ash.  
Sugar. Poplar. Hickory. Spice W. G.

East On a Random line Between Secs 29. & 32.  
40. 00 Set a Temp. Post for the Cor. to 1/4 Sec.  
65. 00 On a Stream 6. lbs. wide, Course S. N.  
50. 00 Intersecting the A. & S. line 15. lbs. of the Post  
set for the Cor. to Secs 28. 29. 32. & 33. Land level.  
Soil of a 2nd quality; Timber. Buck. Ash. Sugar.  
B. Walnut & Poplar. W. G. Spice.

West On True line Between Secs 29. & 32. T. N 15. N. Co. N 1. N.  
40. 00 Set the Temp. Post for the Cor. to 1/4 Sec. at the aver.  
dist on True line from which a M. Ash 10. in. diam.  
bears N. 76. E. 16. lbs. dist. & a M. Ash 9. " "  
" S. 80. N. 12. " "  
50. 00 On the Post set for the Cor. to Secs 29. 30. 31. & 32.

North Between Secs 29. & 30. T. N 15. N. Co. N 1. N.  
13. 00 On a Stream 10. lbs. wide. Course N.



15. 00 To a M. Ash 13. in. diam. stands in the line.  
 40. 00 Set a Post for the bar. to  $\frac{1}{4}$  Sec. from which a  
 Beech 20. in. diam. bears N. 58. E. 6. lbs. dist. & a  
 Do 9. " " " N. 70. W. 24. " "  
 63. 00 To a Sugar 14. in. diam. stands in the line.  
 76. 00 To a Stream 25. lbs. wide. Course S. W.  
 80. 00 Set a Post for the bar. to Sec. 19. 20. 29. & 30. from which  
 a Beech 13. in. diam. bears N. 76. W. 1 1/2 lbs. dist.  
 & a Do 6. " " " S. 21. E. 41. " "  
 Land level; Soil of a 2nd quality. Timber Beech  
 Sugar. Ash. Hickory. W. G. Spice. &c.

- East On a Random line Between Sec. 20. & 29. T. 15. R. 1.  
 3. 00 To a Stream 25. lbs. wide; Course S. W.  
 40. 00 Set a Temp. post for the bar. to  $\frac{1}{4}$  Sec.  
 79. 80 Intersected the N. & S. line 5. lbs. N. of the Post, set  
 for the bar. to Sec. 20. 21. 28. & 29. ~ Land Rolling;  
 Soil 2nd rate. Timber. Beech, Sugar. M. Oak. Hickory.  
 & Poplar. Undergrowth Spice.

- West On True line Between Sec. 20. & 29. T. 15. N. R. 1. M.  
 89. 90 Set the Temp. post for the bar. to  $\frac{1}{4}$  Sec. at the aver.  
 dist. on true line, from which a Beech 20. in. diam.  
 bears S. 33. E. 19. lbs. dist. & a Sugar 9. " "  
 " N. 33. W. 10. " "  
 79. 80 To the Post set for the bar. to Sec. 19. 20. 29. & 30.

- North Between Sec. 19. & 20. T. 15. N. R. 1. M.  
 24. 62 To a Sugar 15. in. diam. stands in the line.  
 40. 00 Set a Post for the bar. to  $\frac{3}{4}$  Sec. from which a  
 Sugar 15. in. diam. bears S. 12. E. 24. lbs. dist. &  
 a Do 8. " " " S. 59. W. 19. " "  
 55. 62 To a M. Oak 30. in. diam. stands in the line  
 62. 20 To a Brook 6. lbs. wide; Course S. W.  
 74. 50 To a Do 6. " " " S. E.  
 80. 00 Set a Post for the bar. to Sec. 17. 18. 19. & 20. from which



T. N 15. A. Co. A. M. 2<sup>nd</sup> Mer.

an R. Elm 3. in? diam? bears N. 87. W. 15. lbs. dist.  
 & a B. Ash 6. " " " S. 2. E. 15. " "  
 Land & Timber. the same as in the last mile.

East On a Random line Between Sec? 17. & 20.  
 7. 45 To a Brook 8. lbs. wide. Course S. M.  
 35. 25 To a Brook 4. " " " West.  
 40. 00 Set a Temp? post for the Cor. to 1/4 Sec.  
 79. 70 Intersect the N. & S. line 8 lbs. S. of the Post set for  
 the Cor. to Sec? 16. 17. 20. & 21.  
 Land & Timber. the same as the last.

West On True line Between Sec? 17. & 20. T. N 15. A. Co. A. M.  
 39. 85 Set the Temp? post at the aver. dist. on true line, for  
 the Cor. to 1/4 Sec. from which a B. Walnut 20. in? in  
 diam? bears S. 52. E. 13. lbs. dist? & a Sugar 8. " "  
 " " N. 52. W. 11. " "

North Between Sec? 17. & 18. T. N 15. A. Co. A. M.  
 25. 69 To a Burr Oak 36. in? diam? stands in the line.  
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a B. Walnut  
 36. in? diam? bears N. 81. W. 21. lbs. dist? & a Birch  
 12. " " " S. 81. E. 29. " "  
 63. 49 To a W. Ash 30. in? diam? stands in the line.  
 50. 00 Set a Post for the Cor. to Sec? 7. 8. 17. & 18. from which  
 a Buck. 20. in? diam? bears West 10. lbs. dist? & a  
 Sugar 24. " " " N. 64. E. 23. " "  
 Land Rolling. Good 2<sup>nd</sup> rate. Timber same as the last

East On a Random line Between Sec? 8. & 17. T. N 15. A. Co. A. M.  
 40. 00 Set a Temp? post for the Cor. to 1/4 Sec.  
 52. 70 To a Brook 3. lbs. wide. Course S. M.  
 79. 68 Intersect the N. & S. line 4 links S. of the post set for  
 the Cor. to Sec? 8. 9. 16. & 17. T. N 15. A. Co. A. M.

West On True line between Sec? 8. & 17. Town 15. Range 1. M.

39. 84 Set the Temp<sup>o</sup> post at the aver. dist. for the Cor. to 1/4 Sec. from which a M. Walnut 10. in<sup>o</sup> diam<sup>o</sup> bears S 19. N. 19 lbs. dist. & a Buck 10. in<sup>o</sup> diam<sup>o</sup> bears N. 40. E. 36. lbs. dist.
79. 68 To the Post set for the Cor. to Sec<sup>o</sup> 7. 8. 17. & 18.

- North Between Sec<sup>o</sup> 7. & 8. T. N 15. N Co. N. A. M.
2. 62 To a Buck 6. lbs. wide. Course S. N.
19. 40 To a Sugar 14. in<sup>o</sup> diam<sup>o</sup> stands in the line.
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 6. in<sup>o</sup> diam<sup>o</sup> bears N. 25. N. 6. lbs. dist. & a Sugar 22. " " S. 25. E. 30. " "
60. 70 To a Buck 16. in<sup>o</sup> diam<sup>o</sup> stands in the line.
80. 00 Set a Post for the Cor. to Sec<sup>o</sup> 5. 6. 7. & 8. from which a Buck 9. in<sup>o</sup> diam<sup>o</sup> bears N. 57. E. 26. lbs. dist. and " S. 12. " " S. 53. N. 27. " "
- Land. Rolling; Timber. as the last.

- East On a Random line Between Sec<sup>o</sup> 5. & 8. T. 15. Co. A.
40. 00 Set a Temp<sup>o</sup> post for the Cor. to 1/4 Sec.
70. 20 To a Buck 3. lbs. wide; Course S. N.
79. 64 Intersect<sup>o</sup> the N. & S. line 8. lbs. N. of the post set for the Cor. to Sec<sup>o</sup> 7. 5. 8. & 9. ~ Land & Timber. same as the last

- West On True line Between Sec<sup>o</sup> 5. & 8. T. N 15. N Co. N. A. M.
39. 82 Set the Temp<sup>o</sup> post for the Cor. to 1/4 Sec. at the aver. dist. on True line from which a Buck 19 in<sup>o</sup> diam<sup>o</sup> bears N. 8. E. 20. lbs. dist. & a M. Oak 36. " " S. 57. N. 28. " "
79. 64 To the Post set for the Cor. to Sec<sup>o</sup> 5. 6. 7. & 8.

- North Between Sec<sup>o</sup> 5. & 6. T. N 15 N. Co. A. M. 2nd Mer
24. 40 To a Sugar 28. in<sup>o</sup> diam<sup>o</sup> stands in the line.
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 10. in<sup>o</sup> diam<sup>o</sup> bears N. 15. E. 27. lbs. dist. & a Buck 10. in<sup>o</sup> in " " S. 27. N. 21. " "
59. 10 To a Buck 12. in<sup>o</sup> diam<sup>o</sup> stands in the line.

## T. N 15. N. R. N 1. N. 2nd Mer.

82. 96 Intersected the N. Boundary 34. M. E. of the Post.  
 set for the cor. to Sec. 5. & 6. from which a W. Ash 9.  
 in. diam. bears N. 23. E. 23. M. dist. 7a. To 10.  
 " " " S. 33. W. 10. " "  
 Land Rolling & good: Timber the same as the last.  
 March 20. 18. 21.

- West Between Sec. 30. & 31. T. N 15. N. R. N 1. N. 2nd Mer.  
 21. 10 To a Buck 14. in. diam. stands in the line.  
 34. 00 To a Brook 20. M. wide. Course S. M.  
 40. 00 Set a Post for the cor. to 1/4 Sec. from which a Buck  
 10. in. diam. bears S. 21. W. 14. M. dist. 8a To  
 16. " " " S. 88. E. 26. " "  
 64. 61 Intersected the M. Boundary 194. M. S. of the Post.  
 set for the cor. to Sec. 30. & 31. T. N 15. N. R. N 1. N.  
 from which a B. Oak 16. in. diam. bears N. 2. W. 10.  
 M. dist. 8a W. Oak 18. " " " S. 6. E. 12 M. dist.  
 Land & Timber the same as the last mile

- West Between Sec. 19. & 30. T. N 15. N. R. N 1. N.  
 19. 64 To a B. Walnut 22. in. diam. stands in the line.  
 40. 00 Set a Post for the cor. to 1/4 Sec. from which a  
 Buck 16. in. diam. bears S. 40. W. 44. M. dist. 8a.  
 B. Ash 6. " " " N. 32. E. 24. " "  
 60. 64 To a Brook 8. M. wide. Course S. M.  
 63. 60 Intersected the M. Boundary 138. M. S. of the Post.  
 & set a Post for the cor. to Sec. 19. & 30. from which a  
 B. Ash 8. in. diam. bears N. 29. W. 29. M. dist. 8a  
 Sunwood M. " " " S. 34. E. 19. " "  
 Land Rolling; Timber the same as the last.

- West Between Sec. 18. & 19. T. N 15. N. R. N 1. N.  
 3. 45 To a Brook 7. M. wide. Course S. M.  
 16. 31 To a W. Ash 24. in. diam. stands in the line,  
 40. 00 Made a 1/4 Sec. cor. on a W. Oak 30. in. diam. from which  
 a Buck 20. in. diam. bears S. 33. W. 30. M. dist.

T. N 15. N. R. N 1. M. 2<sup>nd</sup> Mer.

63. 00 Intersecting the M. Boundary 86. lks. S. of the Post.  
 I set a Post for the Cor. to Sec. 18. & 19. from which a  
 Sugar 20. in? diam? bears S. 11. E. 35. lks. dist. & a  
 Beech 10. " " " N. 15. E. 28. " "  
 Land & Timber. the same as on the last mile

- West Between Sec. 1 & 18. T. N 15. N. R. N 1. M.  
 2. 60 To a Brook 6 lks. wide. Course S. W.  
 17. 96 To a Beech 24. in? diam? stands in the line  
 21. 35 To a Brook. 8. lks. wide. Course South.  
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Beech  
 20. in? diam? bears S. 33. E. 25. lks. dist. & a  
 18. " " " N. 42. E. 16. " "  
 58 35 To a Beech 24. in? diam? stands in the line.  
 62. 90 Intersecting the M. Boundary 18. lks. S. of the Post  
 I set a Post for the Cor. to Sec. 7. & 18. from which a  
 Beech 24. in? diam? bears N. 64. E. 19. lks. dist.  
 & a 18. " " " S. 66. W. 24. " "  
 Land Rolling Timber the same as the last.

- West Between Sec. 6. & 7. T. N 15. N. R. N 1. M.  
 17. 10 To a Beech 30. in? diam? stands in the line.  
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Sugar 10 in?  
 diam? bears S. 62. W. 32. lks. dist. & a Sugar 8. " "  
 " " " N. 52. E. 25. " "  
 62. 64 Intersecting the M. Boundary 22. lks. S. of the Post.  
 I set a Post for the Cor. to Sec. 6. & 7. from which a Sugar  
 18. in? diam? bears N. 33. E. 21. lks. dist. & an Ironwood  
 6. " " " S. 24. W. 35. " "  
 Land on this mile Rolling & Rich; Timber. Sugar.  
 B. Walnut, Beech, &c. Undergrowth Spice, &c.  
 March 21<sup>st</sup> 1831.  
 Finished the Township.

Surveyed by Stephen Collett L.S.



T. N. 15 N. P. N. 1 E. 2<sup>nd</sup> Mer (Ind. 2<sup>nd</sup>)

I certify that the foregoing transcript of the  
field notes of Township N. 15 North of  
Range N. 1 West of the 2<sup>nd</sup> Mer.  
has been compared with the Original notes in this  
Office and found to be correct.

Surveyor General's Office,

Cincinnati, Dec. 17. 1839

*E. P. Cairns*  
Sur. Genl.